



# SAFETY DATA SHEET

## SWISS PLATINUM SYNTHETIC CUTTING OIL

### Section 1. Identification

<b>Product name</b>	Swiss Platinum Synthetic Cutting Oil
<b>Recommended product use</b>	Lubricant, Cutting Oil
<b>Supplier</b>	CUTTING EDGE FLUIDS, INC, 777 CANTERBURY ROAD WESTLAKE, OH 44145
<b>General information telephone</b>	(440)899-6340
<b>EMERGENCY TELEPHONE</b>	(800) 424-9300 (Chemtrec)

### Section 2. Hazards identification

<b>OSHA/HCS status</b>	Product is hazardous as defined by the OSHA Hazard Communication (29 CFR 1910.1200).
<b>Physical hazards</b>	Not classified
<b>Health hazards</b>	Aspiration hazard - Category 1 Acute inhalation toxicity - Category 4 Aquatic hazard (Acute) - Category 1 Aquatic hazard (Acute) - Category 1

#### GHS label elements



<b>Signal word</b>	Danger
<b>Hazard statements</b>	May be fatal if swallowed and enters airways. Harmful if inhaled. Very toxic to aquatic life with long lasting effects.

#### Precautionary statements

**Prevention** Avoid breathing dust/fume/gas/mist/vapor/spray. Use in a well-ventilated area. Wear eye or face protection. Wear protective gloves and clothing. Wash thoroughly after handling. Avoid release to the environment.

**Response** IF SWALLOWED: Immediately seek medical attention or call a POISON CENTER. Do not induce vomiting.  
IF INHALED: Remove person to fresh air and keep comfortable for breathing. Seek medical attention or call a POISON CENTER if person feels unwell. Collect spillage.

**Storage** Store locked up in a well-ventilated place. Store indoors at room temperature. Keep containers closed.

**Disposal** Dispose of product and container in accordance with local, state, federal and international regulations.

**Hazards not otherwise classified**

Product spills may result in slippery floors.

### **Section 3. Composition/information on ingredients**

**Substance/mixture**

Mixture

<b>Ingredient name</b>	<b>CAS Number</b>	<b>%</b>
Dec-1-ene, dimers, hydrogenated	68649-11-6	40 - 60
Alkanes, C14-16, chloro	63449-39-8	20 - 30

Ingredient concentrations are shown as ranges to protect confidentiality. Product does not contain any other ingredients within reportable concentrations that are currently known by the supplier to be health or environmental hazards.

### **Section 4. First aid measures**

**Eye contact**

Check for and remove contact lenses while flushing eyes immediately with plenty of water for at least 15 minutes. Get prompt medical attention.

**Skin contact**

Flush skin immediately with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. If skin irritation occurs, get medical attention. Wash clothing and thoroughly clean shoes before reuse.

**Inhalation**

Remove to fresh air and keep comfortable for breathing. Seek medical attention or call a POISON CENTER if person feels unwell. If person inhales smoke and decomposition products in the event of a fire, symptoms may be delayed. Exposed person should be watched for 48 hours and medical attention sought if symptoms occur.

**Ingestion**

Immediately seek medical attention or call a POISON CENTER. Do not induce vomiting. If vomiting occurs, keep head low to prevent regurgitation of stomach contents into the lungs. If person is unconscious, do not give anything by mouth. If person is conscious, rinse out mouth with plenty of water.

**Most important symptoms/effects, acute and delayed**

May be fatal if swallowed and enters airways. Harmful if inhaled. Contact with eyes may cause pain, temporary irritation, watering, redness and blurred vision. Contact with skin may cause temporary irritation, redness, defatting, drying and cracking. See Section 11 for any delayed health effects.

**Indication of immediate medical attention and special treatment needed, if necessary**

**Note to physician**

Treat symptomatically. In case of inhalation of smoke and decomposition products in the event of a fire, symptoms may be delayed and may require medical surveillance of the exposed person for 48 hours.

**General information**

Provide safety data sheet to attending physician or medical personnel.

## Section 5. Fire-fighting measures

<b>Suitable extinguishing media</b>	Use water fog, foam, dry chemical or carbon dioxide extinguisher or spray.
<b>Unsuitable extinguishing media</b>	Do not use water jet.
<b>Specific hazards arising from the chemical</b>	Extreme heat will pressurize containers and may cause them to burst.
<b>Hazardous combustion products</b>	Combustion products include oxides of carbon and sulfur and hydrogen chloride.
<b>Fire fighting instructions</b>	Remove all persons from the vicinity of the fire. Use standard fire-fighting procedures.
<b>Special protective equipment for fire-fighters</b>	Positive pressure self-contained breathing apparatus (SCBA) and full turnout gear.

## Section 6. Accidental release measures

<b>Personal precautions, protective equipment and emergency procedures</b>	Spills should be addressed by properly trained personnel or emergency responders. Keep all other persons from entering the area of the spill. Do not walk through spilled material.
--	---

### Methods and materials for containment and cleaning up

#### For small spills

Wear eye protection and rubber gloves. Wipe up spill with absorbent material such as paper towels or cloth rags. Wipe area thoroughly with wet paper towels or cloth rags to remove any residual contamination. Dispose of spilled material and contaminated absorbents as required by local regulations.

#### For large spills

Wear chemical goggles and chemical-resistant gloves. Wear a chemical-resistant apron or a chemical-resistant suit and boots such as Dupont's Tyvek® Protective Apparel. Stop any leaks if there is no risk to personal injury. Prevent spilled material from entering drains, sewers, waterways, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material such as sand, earth, vermiculite or diatomaceous earth. Place spilled material and contaminated absorbents in a suitable container for disposal according to local regulations. Contaminated absorbent materials pose the same hazards as the spilled product. Use a licensed waste disposal contractor.

<b>Environmental precautions</b>	Very toxic to aquatic life with long lasting effects. Avoid discharge of spilled material into drains, sewers, waterways and soil. The relevant authorities must be contacted if the product has leaked into drains, sewers or waterways, or has contaminated the soil.
----------------------------------	---

## Section 7. Handling and storage

<b>Precautions for safe handling</b>	Wear chemical goggles and chemical resistant gloves. Avoid contact with eyes, skin and clothing. Do not ingest. Use in well-ventilated area. Avoid breathing vapor or mist. Do not eat, drink or smoke while working with material. Wash thoroughly after handling. Empty containers retain residual product that may be hazardous. Do not expose container to flames, sparks or any other ignition source. Wash contaminated clothing and clean shoes before reuse.
--------------------------------------	--

<b>Conditions for safe storage including any incompatibilities</b>	Store indoors in the original container in a dry, cool and well-ventilated area that is protected from direct sunlight. Store in an area away from food and drink. Protect
--	--

from freezing. If frozen, thaw completely at room temperature and stir before using. Keep container tightly closed until ready for use. Use appropriate containment to avoid environmental contamination.

## Section 8. Exposure controls/personal protection

### Occupational exposure limits

Ingredient Name	OSHA		Manufacturer	
	PEL	STEL	TWA	STEL
Dec-1-ene, dimers, hydrogenated			1 mg/M <sup>3</sup>	

### Appropriate engineering controls

Comply with all applicable exposure limits. Good general ventilation rates appropriate for the conditions should be used. Personal protective equipment should only be considered after engineering control measures such as increased air exchanges, process enclosures, local exhaust, and mist collectors have been put in place to maintain airborne levels below the occupational exposure limits. Personal protective equipment should be selected based on a thorough risk assessment.

### Individual protection measures

#### Eye/face protection

Wear chemical goggles. Wear safety glasses with side shields when working with normal use dilutions of the product.

#### Skin protection

##### Hands

Wear chemical resistant gloves such as nitrile rubber gloves. For product dilutions, wear protective gloves if prolonged or repeated contact is likely. Gloves should be selected in consultation with the supplier and with a thorough assessment of the working conditions.

##### Body

A chemical resistant work apron is recommended. Cotton and cotton/polyester work apparel provide little protection against fluid soaking through to the skin. Launder work clothes on a regular basis. For large spills, or in areas where splashing is a risk, a chemical-resistant apron or a chemical-resistant suit such as Dupont's Tyvek® Protective Apparel are recommended. Footwear that will not allow fluid to soak through to the feet is recommended. Ensure that eye wash stations and safety showers are in close proximity to the work area.

#### Respiratory protection

In case of insufficient ventilation, select and wear suitable respiratory protection equipment after full assessment of the working conditions and in consultation with the supplier/manufacturer of respirators.

### Hygiene measures

Do not get in eyes, on skin or on clothing. Do not eat, drink or smoke while using. Wash hands, forearms and face thoroughly after handling and before eating, drinking, smoking or using the bathroom. Wash work clothes on a regular basis. Keep shoes and protective equipment clean and dry.

## Section 9. Physical and chemical properties

<b>Appearance</b>	
Physical state	Liquid
Color	Medium amber, clear
<b>Odor</b>	Mild vanilla/cherry odor
<b>Odor threshold</b>	Not available
<b>pH</b>	Not available
<b>Mix pH, 5%</b>	Not available
<b>Density, kg/M<sup>3</sup></b>	890
<b>Density, lbs./gal.</b>	7.4
<b>Solubility</b>	Insoluble in water
<b>Viscosity, 100 °F, SUS</b>	62 SUS
<b>Melting point/freezing point</b>	Not available
<b>Initial boiling point, °F</b>	Not available
<b>Flash point, °F</b>	>320
<b>Auto-ignition temperature</b>	Not available
<b>Evaporation rate</b>	Not available
<b>Flammability (solid, gas)</b>	Not applicable
<b>Upper/lower flammability or explosive limits</b>	Not available
<b>Decomposition temperature</b>	Not available
<b>Vapor pressure</b>	Not available
<b>Vapor density</b>	Not available
<b>Partition coefficient(n-octanol/water)</b>	Not available

## Section 10. Stability and reactivity

<b>Reactivity</b>	Nonreactive under normal conditions of storage, transport and use.
<b>Chemical stability</b>	Stable under normal conditions
<b>Possibility of hazardous reactions</b>	No known hazardous reactions under normal conditions of storage, transport and use. Hazardous polymerization does not occur.
<b>Conditions to avoid</b>	High temperatures
<b>Incompatible materials</b>	Avoid contact with strong acids and oxidizers.

## Section 11. Toxicological information

<b>Information on the likely routes of exposure</b>	Anticipated routes of entry: dermal, inhalation
<b>Potential acute health effects</b>	
<b>Eye contact</b>	May cause mild eye irritation.
<b>Skin contact</b>	Frequent or prolonged contact may cause temporary skin irritation.
<b>Inhalation</b>	Harmful if inhaled. Exposure to decomposition products in the event of a fire may be hazardous to health with serious delayed effects.
<b>Ingestion</b>	May be fatal if swallowed and enters airways.
<b>Symptoms related to the physical, chemical and toxicological characteristics</b>	
<b>Eye contact</b>	Symptoms may include irritation, watering, redness and pain.

**Skin contact** Symptoms may include irritation, cracking, defatting, dryness, and redness.

**Inhalation** Symptoms may include drowsiness or dizziness.

**Ingestion** Symptoms may include nausea or vomiting.

**Information on product toxicological effects**

**Acute oral toxicity** Not available

**Acute dermal toxicity** Not available

**Acute inhalation toxicity** Not available

**Information on ingredient toxicological effects** Product contains one or more ingredients within reportable concentrations that exhibit(s) some level of acute toxicity.

Ingredient	Dermal, LD50		Inhalation, LC50		Oral, LD50	
	Species	Result	Species	Result	Species	Result
Dec-1-ene, dimers, hydrogenated	Rabbit	>2000 mg/kg	Rat	1170 mg/M3	Rat	>5000 mg/kg

**Skin corrosion/irritation** Not corrosive to skin. Frequent or prolonged contact may cause temporary skin irritation.

**Serious eye damage/eye irritation** May cause mild eye irritation.

**Respiratory sensitization** Not classified

**Skin sensitization** Not classified

**Aspiration hazard** May be fatal if swallowed and enters airways.

**Specific Target Organ Toxicity (Single Exposure)** Not classified

**Specific Target Organ Toxicity (Repeated Exposure)** Not classified

**Carcinogenicity** This product is not considered to be a carcinogen.

**Teratogenicity** No known significant effects or critical hazards.

**Reproductive toxicity** No known significant effects or critical hazards.

**Mutagenicity** No known significant effects or critical hazards.

## Section 12. Ecological information

**Ecotoxicity** No testing has been performed. Product contains one or more ingredient(s) that exhibit levels of toxicity toward aquatic organisms.

<b>Ingredient name</b>	<b>Species</b>	<b>Method</b>	<b>Result</b>
Alkanes, C14-16, chloro	Bluegill	LC50, 96 hours	>0.1 mg/L
	Rainbow trout	LC50, 96 hours	>0.1 mg/L

**Persistence and degradability** Not available

**Bioaccumulative potential** Not available

**Mobility in soil** Product is not miscible in water. Expected to partition to sediment and wastewater solids.

**Other adverse effects** No other adverse environmental effects are known.

## Section 13. Disposal considerations

**Waste disposal of product** Dispose of at a licensed, waste disposal facility. Do not discharge into waterways or sewer systems without proper authorization.

**Container disposal** Do not reuse containers. Empty containers may still contain product residue and should be disposed of at a licensed waste handling facility.

## Section 14. Transport information

**Land transport (US DOT)** Not regulated

**UN Number**

**UN proper shipping name**

**Hazard class**

**Hazard label**

**Packaging group**

**Sea transport (IMDG)**

**UN Number**

UN 3082


**UN proper shipping name**

Environmentally hazardous liquid, n.o.s. (Alkanes, C14-16, chloro)

**Hazard class**

9

**Hazard label**



**Packaging group**

III

**Air transport (IATA)**

Not regulated

**UN Number**

**UN proper shipping name**

**Hazard class**

**Hazard label**

**Packaging group**

## Section 15. Regulatory information

### U.S. Federal Regulations

<b>TSCA 8b</b>	All of the ingredients in this product are listed or exempted.
<b>SARA 302 Extremely Hazardous Substances</b>	None of the ingredients in this product are listed.
<b>SARA 304 Emergency Release Notification</b>	Not regulated
<b>SARA 311/312 Classification</b>	Immediate (acute) health hazard
<b>SARA 313</b>	None of the ingredients in this product are listed.

**U.S. State Regulations** None of the ingredients in this product are listed.

## Section 16. Other information

### History

<b>Issue date</b>	10 Dec 2018
<b>Version number</b>	1

### Disclaimer

All reasonably practicable steps have been taken to ensure that the health, safety and environmental information contained in this safety data sheet is accurate as of the date of issue. This safety data sheet is provided gratis and for your guidance only. No warranty or representation of any kind, expressed or implied, is made as to the accuracy or completeness of the data and information in this safety data sheet. Since the conditions under which the product is used are not under the control of the manufacturer, it is the buyer's/user's responsibility to determine the conditions under which the product can be used safely, and to ensure that such use is in compliance with all applicable laws and regulations. The manufacturer shall not be responsible for any damage or injury resulting from improper use, storage, transportation, or disposal of the product or from any inherent hazards of the product.